


AlleyOop[®]

S P O R T S



Basketball Landing Pad Installation Instructions

Retain address information for future use.

JumpSport, Inc.
2055 South 7th Street, Suite A
San Jose, CA 95112 U.S.A.

408-213-2551
www.jumpsport.com

P/N: INS-P-10492D

Copyright Notice

This material is protected by the United States copyright laws and is proprietary to JumpSport, Inc. Disclosure, reproduction, translation, modification, or use of this document by anyone other than authorized employees, authorized users, or licensees of JumpSport without the prior written consent of JumpSport, Inc. is prohibited.

The information in this document is subject to change without notice. JumpSport, Inc. shall not be liable for any damages resulting from technical errors or omissions, which may be present in this document, or from use of this document.

Copyright © 2006-2009, by JumpSport, Inc. All rights reserved.

Printed: 2009

Instruction Manual P/N: INS-P-10492D

AlleyOop Basketball Landing Pad P/N: PAD-S-10418A

Trademarks

JumpSport® and AlleyOop Sports® are trademarks of JumpSport, Inc.

All other brand or product names are trademarks or registered trademarks of their respective companies or organizations.

Patents

This product includes technology associated with one or more of the following U.S. Patents:

No. 6,053,845

No. 6,261,207

No. 6,840,891

No. 6,846,271

No. 7,060,001

Additional Patents Pending.

How to Contact Customer Support

Should you require customer service or technical support for your AlleyOop Sports Basketball Landing Pad, please contact AlleyOop Sports' Customer Service department at:

408-213-2551

8:00am – 5:00pm Monday through Friday, Pacific Time



Assembly and Installation Instructions

Thank you for purchasing an AlleyOop Basketball Landing Pad!

Familiarize yourself with the Assembly and Installation Instructions before beginning installation.

The following pages contain diagrams, pictures, and written instructions for installing your Basketball Landing Pad.

WARNING

Trampoline use is not recommended without the frame pad installed (see Picture A, below). The frame pad is designed to reduce the possibility of injury by protecting the user from coming into contact with the frame and springs of the trampoline. It is very important that you properly and securely attach the frame pad to the frame, and that it is in the correct position prior to using the trampoline.


It is also important to be sure that the Basketball Landing Pad is correctly installed before continuing to use the basketball set (see Picture B, below). The Basketball Landing Pad is designed to be used with a JumpSport or AlleyOop Sports basketball set to provide further protection for the user in the area surrounding the basketball set.

All users should read and follow the warnings, precautions, and guidelines for safe use provided for the trampoline, safety enclosure, and basketball set.



Picture A

Frame Pad Placement - Showing Correct Placement over Frame Rails and Springs
(Section of frame pad removed for clarity. Be sure pad is completely installed before use.)



Picture B


Basketball Landing Pad Placement - Showing Correct Placement over Frame Rails and Springs
(Be sure Basketball Landing Pad is completely installed before use.)

Parts List

Your Basketball Landing Pad comes with one landing pad and 3 factory-installed bungee T-anchors.

Assembly and Installation Instructions

Before you begin installing your Basketball Landing Pad, please check to see what kind of frame pad you have installed on your trampoline.



Type A assembly instructions—for frame pads with net connection points on inside edge of pad—begins on page 5


If your frame pad has net connection points on *outer* edge of pad or has no connection points at all, use Type B assembly instructions beginning on page 7

Type A Assembly




1) Lay Basketball Landing Pad (BLP) flat on jumping surface (mat) near pole where your basketball set is installed. BLP should be centered with pole that basketball set is installed on, as shown.

2) Disconnect anything holding bottom of net down on either side of BLP, such as “bungee T-anchors” or “pad straps”.




3) Lift frame pad and slide BLP under pad.



4) Secure BLP to frame of trampoline using the 3 factory-installed bungee t-anchors, as shown. After T-anchor is secured, rotate it so it is underneath rail.

Assembly and Installation Instructions—Type A Installation




5) Reconnect net connection attachments as instructed in your safety enclosure user's manual. Net connectors should pass through metal grommets in BLP before securing to V-rings on trampoline mat.





Your Basketball Landing Pad is now fully assembled and ready for use!

To remove the Basketball Landing Pad, follow the Installation Instructions in reverse order.

Type B Assembly



1) Lay Basketball Landing Pad (BLP) flat on jumping surface (mat) near pole where your basketball set is installed. BLP should be centered with pole that basketball set is installed on, as shown.



(View from outside of trampoline)



2) Lift frame pad and slide BLP under pad.

4) Secure BLP to frame of trampoline using the 3 factory-installed bungee t-anchors, as shown. After T-anchor is secured, rotate it so it is underneath rail.

Assembly and Installation Instructions—Type B Installation



4) Reinstall the bottom of your safety enclosure net as instructed in your safety enclosure user's manual. If you have bungee T-anchors / button bungees, they will need to be reattached to bottom strap of net, before securing to V-rings on trampoline mat or frame of trampoline. This may make it so that you do not have the panels of net divided into thirds anymore. This is normal.



Your Basketball Landing Pad is now fully assembled and ready for use!

To remove the Basketball Landing Pad, follow the Installation Instructions in reverse order.

Assembly and Installation Instructions

(This page left intentionally blank.)

Assembly and Installation Instructions

(This page left intentionally blank.)



Limited 90 Day Warranty

What is covered by this warranty? This warranty covers any defects in materials or workmanship on all of the components of the AlleyOop Sports Basketball Landing Pad, and is extended exclusively to the original retail purchaser.

How long does this coverage last? Warranty coverage for each component begins from the original date of purchase and lasts for 90 days.

What will AlleyOop Sports do? If you return the defective part to AlleyOop Sports, as instructed below, AlleyOop Sports will either repair or replace such part, at AlleyOop Sports' discretion, and return it to you.

What is not covered by this warranty? This warranty does not cover expenses of on-site labor, shipping costs, travel, assembly or disassembly, or other charges associated with the repair or replacement of covered components. This warranty also does not cover any problem that is caused by abuse, misuse, commercial or public use, ordinary wear and tear, weathering, acts of God (such as wind and lightning), failure to follow directions, improper installation, improper maintenance, or any silk screened graphics. Rust is a natural occurrence with any outdoor steel product and is likewise not covered by this warranty, to the extent that it does not affect the structural integrity of the part. (This warranty does not cover the trampoline or any related safety enclosure to which the basketball set attaches. See individual trampoline and safety enclosure warranties for specific coverage details for those products.)

ALLEYOOP SPORTS IS NOT RESPONSIBLE OR LIABLE FOR INDIRECT, SPECIAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE PRODUCT OR OTHER DAMAGES WITH RESPECT TO ANY LOSS, INCLUDING BUT NOT LIMITED TO ECONOMIC LOSS, LOSS OF PROPERTY, LOSS OF REVENUE OR PROFITS, LOSS OF ENJOYMENT OR USE, COST OF REMOVAL, INSTALLATION OR OTHER CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

THE WARRANTY EXTENDED HEREUNDER IS IN LIEU OF ALL OTHER WARRANTIES AND ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS SCOPE AND DURATION TO THE TERMS SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

How to get a defective part replaced:

- 1) Call the AlleyOop Sports Customer Service department at 408-213-2551 to obtain a Return Authorization number. All returns must be pre-authorized.
- 2) Send the part(s) to the designated Service Center, along with a copy of your original sales receipt and a brief written description of the problem, including how it occurred. You must pay freight and insurance to return the part to AlleyOop Sports. At AlleyOop Sports' sole discretion, we may ask you to send photographs in addition to or in lieu of returning the part.
- 3) After inspecting the returned part(s), AlleyOop Sports will make a final determination whether the part is covered by this warranty. We reserve the right to examine photographs or physical evidence concerning parts claimed to be defective prior to making a final determination concerning the claim. A repaired or replacement part will be returned to you. Please allow 3 to 4 weeks for delivery.

This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

JumpSport, Inc.
2055 South 7th Street, Suite A
San Jose, CA 95112

408-213-2551

<http://www.jumpsport.com>