

Parts

Pad - 4 quarters

Long bungee - 8 pieces

Layout, align, and join frame pad pieces

Lay pad quarters over frame and align notches in skirt with sockets at each leg (see Figure 1). Be sure that the plastic connectors are positioned on the underside of pad (see Figure 2). Join pad quarters using Velcro® tabs (see Figure 3).




FIGURE 1

Attach pad to frame of trampoline

There will be two plastic connectors on the underside of the pad near each leg of the trampoline (see Figures 1 and 2). Connect pad to leg by feeding long elastic cords through both connectors on underside of pad, and then tie the cord around each leg (see Figure 2). *Be careful not to secure the elastic cords too tightly, or the pad may tear.*

IMPORTANT: MAKE SURE THAT THE PAD IS INSTALLED PROPERLY OVER THE FRAME AND SPRINGS BEFORE USE.





FIGURE 2

Call 408-213-2551 if you have any questions.



and



Caution:



Use of this trampoline is NOT recommended without the safety enclosure installed, which is designed to reduce the likelihood of injury to the user from falling off the trampoline, or coming into contact with the frame and springs of the trampoline.



Caution:



Use of this trampoline is NOT recommended without the trampoline pad installed, which is designed to reduce the likelihood of injury prevent the user from coming into contact with the frame and springs of the trampoline.